

## Author index to Volume 2

- Adams RL, *see* Tittley, I  
Åkerman M, *see* Ørndal C  
Ashley S, *see* Powles TJ  
Ayer BS, Pacey NF & Greenberg ML. The cytological features of invasive adenocarcinoma of the cervix uteri 181  
  
Baker A & Melcher DH. Rapid cervical cytology screening 299  
Bateman N, *see* Carmichael A  
Blackledge G, *see* Redman CWE  
Blamey RW, *see* Hitchcock A  
Blanke M, *see* Wehle K  
Boon ME. Editorial. Can we do without mass cervical screening? 57  
Braga M, *see* Sironi M  
Brown LA & Coghill SB. Fine needle aspiration cytology of the breast: factors affecting sensitivity 67  
Brown LA, Coghill SB & Powis SAJ. Audit of diagnostic accuracy of FNA cytology specimens taken by the histopathologist in a symptomatic breast clinic 1  
Buxton EJ, *see* Redman CWE  
  
Carlén B, *see* Ørndal C  
Carmichael A, Bateman N & Nayagam M. Examination of induced sputum in the diagnosis of *Pneumocystis carinii* pneumonia 61  
Caveriviere P, *see* Daste G  
Chan SY, *see* Redman CWE  
Chapman SE, *see* Redman CWE  
Charlton IG, *see* Williams, RA  
Cherryman G, *see* Powles TJ  
Chetty R, Learmonth GM & Kalan MR. The significance of nuclear grooves and phagocytosis in the diagnosis of metastatic papillary carcinoma of the thyroid 43  
Chetty R, Learmonth GM, Price SK & Taylor DA. Primary oesophageal rhabdomyosarcoma 103  
Clarke S, *see* Powles TJ  
Coghill SB, *see* Brown LA, *also* Tyler X  
Cohen C, Tickman RJ, DeRose PB & Whitaker BP. DNA ploidy studies of benign and malignant tumours: comparison of flow cytometry and image analysis techniques using two types of cytological specimen 247  
Coleman DV & Trott PA. Editorial. *Cytopathology*: the first year of publication 283  
  
Coleman DV, *see* Tawfik MS, *also* Wazir JF  
Coombes RC, *see* Powles TJ  
  
Daste G, Serre G, Mauduyt M-A, Vincent C, Caveriviere P & Soleilhavoup J-P. Immunophenotyping of mesothelial cells and carcinoma cells with monoclonal antibodies to cytokeratins, vimentin, CEA and EMA improves the cytodiagnosis of serous effusions 19  
Davies DC, *see* Tittley I  
DeRose PB, *see* Cohen C  
Driver, M, *see* Tittley I  
  
Ellis IO, *see* Hitchcock A  
Elston CW, *see* Hitchcock A  
  
Greenberg ML, *see* Ayer BS  
Gupta RK, Lallu S, McHutchison AGR & Prasad J. Fine needle aspiration of Sister Mary Joseph's nodule 311  
  
Harach HR, Virgili E, Soler G, Zusman SB & Saravia Day E. Cytopathology of follicular tumours of the thyroid with clear cell change 125  
Heim S, *see* Ørndal C  
Hitchcock A, Hunt CM, Locker A, Koslowski J, Strudwick S, Elston CW, Blamey RW & Ellis IO. A one year audit of fine needle aspiration cytology for the pre-operative diagnosis of breast disease 167  
Hsu CS, *see* Lau SK  
Hunt CM, *see* Hitchcock A  
Hunt J, *see* Learmonth G  
Hussein KA, *see* Parham DM  
  
Iwa N, Kobayashi TK & Yutani C. Detection of human polyomavirus DNA in Papanicolaou stained smears of urinary sediment by *in situ* hybridization 121  
  
Jones AL, *see* Powles TJ  
  
Kalan MR, *see* Chetty R  
Kapila K, Kharbanda K & Verma K. Cytomorphology of metastatic melanoma—use of S-100 protein in the diagnosis of amelanotic melanoma 229  
Kharbanda K, *see* Kapila K  
Kobayashi TK, *see* Iwa N

- Kocjan G. Evaluation of the cost effectiveness of establishing a fine needle aspiration cytology clinic in a hospital out-patient department 13
- Koenig G, *see* Wehle K
- Koslowski J, *see* Hitchcock A
- Kulig J, *see* Strachura J
- Lallu S, *see* Gupta RK
- Lau SK, Hsu CS, Sham JST & Wei WJ. The cytological diagnosis of nasopharyngeal carcinoma using a silk swab stick 239
- Learmonth G, Marks RK, Hunt J & Narramore C. The cytological recognition of African siderosis on bone smears 205
- Learmonth GM, *see* Chetty R
- Locker A, *see* Hitchcock A
- Luesley DM, *see* Redman CWE
- Maarten Egeler R, *see* Van Herde P
- Mandahl N, *see* Örndal C
- Marks RK, *see* Learmonth G
- Martin-Bates E, *see* Wazir JF
- Mauduyt M-A, *see* Daste G
- McHutchinson AGR, *see* Gupta RK
- Medley G, *see* Mitchell H
- Melcher DH, *see* Baker A
- Mendonça ME, Ramos S & Soares J. Medullary carcinoma of thyroid: a re-evaluation of the cytological criteria of diagnosis 93
- Mitchell H & Medley G. Reporting of an endocervical component after a previous cervical biopsy 177
- Mitelman F, *see* Örndal C
- Mutch AF, *see* Stewart CJR
- Narramore C, *see* Learmonth G
- Nash AG, *see* Powles TJ
- Nasiell K, Tani E & Skoog L. Fine needle aspiration cytology and immunocytochemistry of metastatic melanoma 137
- Nayagam M, *see* Carmichael A
- Örndal C, Carlén B, Åkerman M, Willén H, Mandahl N, Heim S, Rydholm A & Mitelman F. Chromosomal abnormality t(9;22)(q22;12) in an extraskeletal myxoid chondrosarcoma characterized by fine needle aspiration cytology, electron microscopy, immunohistochemistry and DNA flow cytometry 261
- Pacey NF, *see* Ayer BS
- Parham DM, Wiredu EK & Hussein KA. The cytological prediction of cervical intraepithelial neoplasia in colposcopically directed biopsies 285
- Pfitzer P, *see* Wehle K
- Pietron M, *see* Strachura J
- Powis SAJ, *see* Brown LA
- Powles TJ, Trott PA, Cherryman G, Clarke S, Ashley S, Coombes RC, Jones AL, Sinnett HD & Nash AG. Fine needle aspiration cytodiagnosis as a pre-requisite for primary medical treatment of breast cancer 7
- Prasad J, *see* Gupta RK
- Price SK, *see* Chetty R
- Radice F, *see* Sironi M
- Ramos S, *see* Mendonça ME
- Redman CWE, Chapman SE, Chan SY, Buxton EJ, Blackledge G & Luesley DM. Out-patient peritoneal lavage cytology in the detection of residual epithelial ovarian cancer 291
- Rikabi ACA, Young AE & Wilson C. Metastatic renal clear cell carcinoma in the thyroid gland diagnosed by fine needle aspiration cytology 47
- Rode J, *see* Williams RA
- Rydholm A, *see* Örndal C
- Saravia Day E, *see* Harach HR
- Serre G, *see* Daste G
- Sham JST, *see* Lau SK
- Sinnett HD, *see* Powles TJ
- Sironi M, Radice F, Taccagni GL, Braga M & Zerbi M. Fine needle aspiration cytology of a pancreatic oxyphilic carcinoma with pulmonary and subcutaneous metastases 303
- Skoog L, *see* Nasiell K
- Soares J, *see* Mendonça ME
- Soleilhavoup J-P, *see* Daste G
- Soler G, *see* Harach HR
- Stewart CJR & Mutch AF. Breast carcinoma with osteoclast-like giant cells 215
- Stewart CJR & Thomas MA. Malacoplakia of the uterine cervix and endometrium 271
- Strachura J, Tomaszewska R, Pietron M & Kulig J. Does microhistology improve the cytological diagnosis of liver and pancreatic tumours? 39
- Strudwick S, *see* Hitchcock A
- Syrjanen K. Editorial. Human papillomavirus infection of the female genital tract 225
- Taccagni GL, *see* Sironi M
- Tani E, *see* Nasiell K
- Tawfik MS & Coleman DV. C-myc expression in exfoliated cells in serous effusions 83
- Taylor DA, *see* Chetty R
- Tee DEH, *see* Titley I
- Thoma MA, *see* Stewart CJR
- Tickman RJ, *see* Cohen C

- Titley I, Tee DEH, Driver M, Davies DC & Adams RL. Can flow cytometry reduce the workload for cervical screening? The results of a series of 622 specimens 193
- Tomaszewska R, *see* Strachura J
- Trott PA, *see* Coleman DV, *also* Powles TJ
- Tyler X & Coghill SB. Fine needle aspiration cytology of collagenous spherulosis of the breast 159
- Van Heerde P & Maarten Egeler R. The cytology of Langerhans' cell histiocytosis (histiocytosis X) 149
- Verma K, *see* Kapila K
- Vincent C, *see* Daste G
- Virgili E, *see* Harach HR
- Wazir JF, Martin-Bates E, Woodward G & Coleman DV. Evaluation of immunocytochemical staining as a method of improving diagnostic accuracy in a routine cytopathology laboratory 75
- Wehle K, Blanke M, Koenig G & Pfitzer P. The cytological diagnosis of *Pneumocystis carinii* by fluorescence microscopy of Papanicolaou stained bronchoalveolar lavage specimens 113
- Wei WI, *see* Lau SK
- Whitaker BP, *see* Cohen C
- Willén H, *see* Örndal C
- Williams RA, Charlton IG & Rode J. Comparative ploidy studies using cytological and paraffin section preparations 29
- Wilson C, *see* Rikabi ACA
- Wiredu EK, *see* Parham DM
- Woodward G, *see* Wazir JF
- Young AE, *see* Rikabi ACA
- Yutani C, *see* Iwa N
- Zerbi M, *see* Sironi M
- Zusman SB, *see* Harach HR

the 1990s, the number of people in the world who are undernourished has increased from 600 million to 800 million (FAO 1996).

There are a number of reasons why the world's population is becoming more undernourished. First, the world's population is growing rapidly, and the number of mouths to feed is increasing. Second, the world's population is becoming more urbanized, and the demand for food is increasing. Third, the world's population is becoming more affluent, and the demand for food is increasing. Fourth, the world's population is becoming more mobile, and the demand for food is increasing.

There are a number of ways in which the world's population can be fed. First, the world's population can be fed by increasing the production of food. Second, the world's population can be fed by increasing the distribution of food. Third, the world's population can be fed by increasing the consumption of food. Fourth, the world's population can be fed by increasing the efficiency of food production and distribution.

There are a number of ways in which the world's population can be fed. First, the world's population can be fed by increasing the production of food. Second, the world's population can be fed by increasing the distribution of food. Third, the world's population can be fed by increasing the consumption of food. Fourth, the world's population can be fed by increasing the efficiency of food production and distribution.

There are a number of ways in which the world's population can be fed. First, the world's population can be fed by increasing the production of food. Second, the world's population can be fed by increasing the distribution of food. Third, the world's population can be fed by increasing the consumption of food. Fourth, the world's population can be fed by increasing the efficiency of food production and distribution.

There are a number of ways in which the world's population can be fed. First, the world's population can be fed by increasing the production of food. Second, the world's population can be fed by increasing the distribution of food. Third, the world's population can be fed by increasing the consumption of food. Fourth, the world's population can be fed by increasing the efficiency of food production and distribution.

There are a number of ways in which the world's population can be fed. First, the world's population can be fed by increasing the production of food. Second, the world's population can be fed by increasing the distribution of food. Third, the world's population can be fed by increasing the consumption of food. Fourth, the world's population can be fed by increasing the efficiency of food production and distribution.

## Keyword index to Volume 2

- Adenocarcinoma, 181  
African siderosis, 205  
Aspiration cytodiagnosis of the thyroid, 125  
Audit, 167
- Backlog, 299  
Biopsy, 52, 177, 285  
Bone smears, 205  
Breast  
  cancer, 7  
  carcinoma, 167, 215  
  collagenous spherulosis, 159  
  disease, 67, 167  
  fine needle aspiration cytodiagnosis, 7, 52  
  lump palpable, 1  
  therapy neoadjuvant, 7  
Bronchoalveolar lavage specimens, 113
- Cancer  
  breast, 7  
  ovarian, 291  
Carcinoma  
  cells, 19  
  clear cell, 47  
  follicular, 125  
  medullary, 93  
  nasopharyngeal, 239  
  pancreatic oxyphilic, 303  
  renal cell, 47  
  thyroid papillary, 43  
Case, 177  
CEA, 19  
Cervical  
  neoplasia, 193  
  pre-screening, 193  
  rapid screening, 299  
  screening, 57  
Cervix, 271, 285  
  uteri, 181  
Chondrosarcoma extraskeletal myxoid, 261  
Chromosome aberrations, 261  
Clear cell  
  carcinoma, 47  
  thyroid, 125  
Clinical  
  assessment, 1  
  diagnosis, 7  
C-myc expression, 83  
Collagenous spherulosis of breast, 159  
Control, 177  
Correlation, 285  
Cost and benefit, 13  
Criteria, 93  
Cytodiagnosis  
  fine needle aspiration, 7  
  of thyroid adenoma, 125  
  of follicular carcinoma, 125  
Cytokeratins, 19  
Cytological features, 181  
Cytology, 103, 271, 285, 291, 311  
  clinics, 1  
  fine needle aspiration, 1, 67, 93, 159, 167, 215, 261  
  out-patient clinics, 13
- Destained Papanicolaou smears, 121  
Diagnosis of bone smears, 205  
Differential diagnosis, 159  
DNA  
  analysis, 247  
  flow cytometry, 261  
  recombinant technology, 83
- Effusions, 75  
  serous, 19, 83  
Electron microscopy, 261  
EMA, 19  
Endocervical, 177  
Endometrium 271  
Exfoliative cytology, 239  
Exogenous lipid pneumonitis, 315  
Extraskeletal myxoid chondrosarcoma, 261
- Female genital tract, 225  
Fine needle aspiration, 13, 39, 47, 75, 137, 229, 303, 311  
  cytodiagnosis, 7  
  cytology, 1, 51, 52, 67, 93, 159, 167, 215, 261  
Fixation, 29  
Flow cytometry, 193, 247  
  DNA, 261  
Fluorescence microscopy, 113  
FNA, *see* fine needle aspiration  
Follicular carcinoma cytodiagnosis, 125
- Haemosiderin, 43  
Histiocytosis X, 149  
Histopathology, 261  
Human polyomavirus, 121
- Image analysis, 247  
Immunocytochemical stains, 75  
Immunocytochemistry, 19, 103, 137

- Immunofluorescence, 61
- Immunohistochemistry, 261
- In situ* hybridization, 121
- Inclusion, 113
  - bearing transitional cells, 121
- Langerhans' cell histiocytosis, 149
  - leukaemia arising in, 149
  - malignant transformation of, 149
- Leukaemia, 149
- Liver tumours, 39
- Longitudinal nuclear grooves, 43
- Macrophages, 113
- Malacoplakia, 271
- Malignant transformation of Langerhans' cells, 249
- Mammographic diagnosis, 7
- Mammography, 1
- Medullary carcinoma, 93
- Melanoma metastatic, 229, 137
- Mesothelial cells, 19
- Metastasis, 311
- Metastatic melanoma, 137, 229
- Microhistology, 39
- Myxoid chondrosarcoma extraskeletal, 261
- Nasopharyngeal carcinoma, 239
- Neoadjuvant breast therapy, 7
- Oesophagus, 103
- Oncogenes, 83
- Osteoclast-like giant cell, 215
- Out-patient cytology clinic, 13
- Ovarian cancer, 291
- Oxyphilic carcinoma, 303
- Palpable breast lump, 1
- Pancreas, 303
- Pancreatic
  - oxyphilic carcinoma, 303
  - tumours, 39
- Papanicolaou smear, 177
  - destained, 121
- Papillary carcinoma thyroid, 43
- Papilloma virus human, 225
- Paraffin sections, 29
- Phagocytosis, 43
- Ploidy profiles, 29
- Pneumocystis carinii*, 113
  - pneumonia, 61
- Pre-operative diagnosis, 167
- Primary medical treatment, 7
- Rapid cervical screening, 299
- Recombinant DNA technology, 83
- Renal cell carcinoma, 47
- Rhabdomyosarcoma, 103
- S-100 protein, 229
- Scurvy, 205
- Sensitivity, 67
- Serous effusions, 19, 83
- Siderosis in bone smears, 205
- Signet ring cell thyroid, 125
- Silk swab stick, 239
- Sister Mary Joseph's nodule, 311
- Smears, 29
  - bone, 205
- Specificity, 67
- Sputum induction, 61
- Thyroid, 93
  - adenoma cytodiagnosis, 125
  - aspiration cytodiagnosis, 125
  - clear cell, 125
  - papillary carcinoma, 43
  - signet ring cell, 125
  - tumours, 47
- Transitional cells, inclusion bearing, 121
- Tuberculosis, 205
- Tumours
  - liver and pancreatic, 39
  - pancreatic, 39
  - thyroid, 47
- Ultrasonography-guided biopsy, 39
- Umbilicus, 311
- Vick's Vaporub, 315
- Video analysis, 29
- Vimentin, 19

